

GM3500 M.2 SSD

GM3500 M.2 SSD, Predator's first flagship gaming SSD, features an 8-channel flash controller, high-quality 3D NAND and independent DRAM cache in configuration to meet the high demands of storage hardware for next-generation games. Gamers compete professionally and smoothly in every online battle arena game.











Product Features

Read speed up to 3400 MB/s

Sequential read and write speeds up to 3400 MB/s* and 3000 MB/s*, Predator GM3500 M.2 SSD effectively improves game startup speed, scenes loading, and greatly reduces data latency, bringing the extraordinary experience to E-sport players.

Ultra-thin design built with heatsink sticker

Predator GM3500 M.2 SSD is able to work with full potential when it installed in an ultrabook. The back side is armed with a customized copper foil heat spreader for effective heat dissipation. SSD is allowed to work well in long-term gaming.

Customized flagship controller

Adopted professional customized 8-channel flash controller, Predator GM3500 M.2 SSD supports PCIe Gen3×4 interface and NVMe1.3 protocol to thoroughly stimulate the unparalleled performance of SSD. GM3500 empower to meet the demands of transferring ultra-large files and improving work efficiencu.

DRAM independent cache

GM3500 M.2 SSD is equipped with a large capacity independent cache that reduces write latency and random read time to achieve better performance. The independent cache effectively reduces invalid driver writing and increases longer lifespan.

High-quality 3D NAND

GM3500 M.2 SSD uses high-quality 3D NAND Flash with excellent read/write performance. Compared to non-standard capacity SSDs, GM3500 provides more accessible capacity, more erase/write cycles, and longer lifespan.

Ensure data security and privacy

Predator GM3500 M.2 SSD supports end-to-end data protection, dynamic & static wear-leveling, 2K LDPC ECC error correction, and RAID and S.M.A.R.T. to fully ensure data and file security.

* Tested by our labs, based on Predator GM3500 1 TB. Test results may vary according to different test platforms, programs, and operating environments.

Predator Advantage

Predator is a high-end gaming brand owned by the world-renowned PC manufacturer Acer. It creates a series of enthusiast products for hardcore gaming players, including desktops, laptops, displayers, tablets, projectors, memory sticks, SSDs and other full-service professional equipment. Predator has in-depth insight into players' core storage needs and creates high-end esports storage devices to help gamers become the king of the game battlefield. Bringing a better experience to gamers and users has always been Predator's purpose.

Predator GM3500 M.2 SSD

Product Specifications			
Interface	PCIe Gen 3.0 x 4, NVMe 1.3		
Capacity	512 GB	1TB	2 TB
DRAM Cache	512 MB	1 GB	2 GB
Max. Sequential Read Speed (MB/s)	3400	3400	3400
Max. Sequential Write Speed (MB/s)	1800	3000	3000
Max. Random Read Speed (IOPS)	170 K	337 K	330 K
Max. Random Write Speed (IOPS)	123 K	369 K	343 K
Operating Power Consumption (Read)	3.65 W	4.40 W	6.10 W
Operating Power Consumption (Write)	4.37 W	4.94 W	4.71 W
Idle Power Consumption	0.28 W	0.30 W	0.35 W
Dimensions	80.00 x 22.00 x 2.60 mm (Double side)		
Weight	≤ 11 g		
MTBF	≤ 2,000,000 hours		
Operating Temperature	0 °C to 70 °C / 32 °F to 158 °F		
Non-operating Temperature	40 °C to 85 °C / −40 °F to 185 °F		
Shock Resistant	1500 G / 0.5 ms		
Vibration Resistant	6.0667 GRMS (20-2000 Hz)		
Certifications	CE, FCC, RoHS, BSMI, KCC, VCCI, RCM		
Warranty / Support	5-Year / 300 TBW	5-Year / 600 TBW	5-Year / 1200 TBW

- 1. Maintenance and future updates are required throughout product life cycle. Specifications are subject to change without notice.
- $\hbox{2. The pictures are for illustration only. Actual product may vary due to product enhancements or changes.}\\$
- 3. Not all products are sold in all regions of the world.
- 4. As used for storage capacity, one megabyte (MB) = one million bytes, one gigabyte (GB) = one billion bytes, and one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment. As used for buffer or cache, one megabytes (MB) = 1,048,576 bytes. As used for transfer rate or interface, megabyte per second (MB/s) = one million bytes per second, and gigabyte per second (GB/s) = one billion bytes per second.
- 5. Measured using the MobileMark $^{\text{M}}$ 2012 benchmark with DIPM (Device Induced Power Management) enabled.
- 6. MTBF = Mean Time Between Failures based on internal testing using Telcordia stress testing standard.
- $7. \ \mathsf{Please} \ \mathsf{visit} \ \mathsf{www.predatorstorage.com} \ \mathsf{for} \ \mathsf{more} \ \mathsf{details}.$

Acer Storage Customer Service Hotline in US: 1-866-351-8791

Acer Storage After-sales Service in US: Email: Storage.SupportUS@acer.com Chat: Go.Acer.com/US.Storage.Chat

Other Countries:

Email: CS@predatorstorage.com

















